

# Lab Results

## Independent 3rd Party Analytical Testing and Validation

Product: Magnesium w/SRT®

Lot #: 1703020

Report Date: 05/25/2017

Ingredient Analysis	Claim	Result	Method
Pyridoxal-5-Phosphate	5 mg	5.26 mg	ALC567A
5-Methyltetrahydrofolic Acid	200 mcg	206 mcg	ALC193B
Methylcobalamin	6 mcg	6.09 mcg	LCMS254A
Magnesium	500 mg	535 mg	ICP-MS
Malic Acid	-	1448 mg	ALC109A

Microbial Testing		Result	Method
Total Plate Count	-	<100 CFU/g	USPC2021:7
Coliform	-	<10 CFU/g	COLIPET:10
Yeasts	-	<10 CFU/g	USPM2021:7
Molds	-	<10 CFU/g	USPM2021:7
E. coli	-	Absent	USPE2022:6
Salmonella	-	Absent	USPS2022:6
Staph-aureus	-	Absent	USPA2022:7
Pseudomonas aeruginosa	-	Absent	USPA2022:7

Heavy Metals Analysis	Not To Exceed	Detected	Method
Arsenic	10 ppm	0.006 ppm	AICPMS01A
Lead	10 ppm	0.032 ppm	AICPMS01A
Cadmium	4.1 ppm	0.001 ppm	AICPMS01A
Mercury	2 ppm	0.008 ppm	AICPMS01A

Tests performed in accordance with ISO/IEC 17025 Chemical Scope of Accreditation

