LAB RESULTS

Independent 3rd Party Analytical Testing and Validation

Product Name:	CoQ10 w/SRT
Lot Number:	2507007
Expiration Date:	11/2027
Serving Size:	1 capsule
Tested At:	DYAD Laboratories
Report Date:	01/12/2026

ISO 17025 ACCREDITED LABORATORY

CERTIFIED 3RD PARTY LABORATORY - INDEPENDENT VERIFICATION -

TEST ITEM	SPECIFICATION	RESULT		METHOD
Appearance & Color	Yellow	Conforms	√ Passed	Visual
Aroma	None	Conforms	√ Passed	Organoleptic

ANALYTE				
Coenzyme Q10	100 mg	107 mg	√ Passed	UPLC

CONTAMINANTS				
GMO	Negative	Negative	√ Passed	USDA BE / PGU47
Gluten	< 5 ppm	< 5.00 ppm	√ Passed	ELISA
Soy	< 2.5 ppm	< 2.50 ppm	√ Passed	ELISA

MICROBIOLOGY				
Total Plate Count	< 1000 cfu/g	20 cfu/g	√ Passed	USP 2021
Yeast/Mold	< 100 cfu/g	< 10 cfu/g	√ Passed	USP 2021
Coliform	< 10 cfu/g	< 10 cfu/g	√ Passed	AOAC
Pseudomonas	Negative/10g	Negative	√ Passed	USP 62
Salmonella	Negative/10g	Negative	√ Passed	USP 2022
Staphylococcus	Negative/10g	Negative	√ Passed	USP 2022
E. Coli	Negative/10g	Negative	√ Passed	USP 2022
Enterobacteriaceae	< 100 cfu/g	< 10 cfu/g	√ Passed	AOAC

HEAVY METALS				
Arsenic	< 10 mcg	< 0.00320 mcg	√ Passed	ICP-AOAC
Cadmium	< 4 mcg	0.00436 mcg	√ Passed	ICP-AOAC
Lead	< 0.5 mcg	0.00685 mcg	√ Passed	ICP-AOAC
Mercury	< 2 mcg	0.00320 mcg	√ Passed	ICP-AOAC

Results are reported per serving, unless otherwise noted.