Lab Results

Independent 3rd Party Analytical Testing and Validation

Product: Jigsaw Collagen Boost
Lot # 251204
Report Date: 02/03/2026

Ingredient Analysis	Claim	Result	Method
Sodium (Sodium Hyaluronate)	40 mg	37.33 mg	ICP & QBI
Protein	17 g	18.3 g	AOAC
Collagen Peptide Complex	17.5 g	19.1 g	Agilent App.
Hyaluronic Acid (Sodium Hyaluronate)	80 mg	88.6 mg	Internal

Contaminants		Result	Method
GMO	-	Negative	GeneScan
Gluten	-	<3.0 ppm	ELISA
Soy	-	<2.5 ppm	ELISA

Microbial Testing		Result	Method
Total Plate Count	-	< 10 cfu/g	USPC 61
Yeast & Mold	-	< 10 cfu/g	USPC 61
Coliform	-	< 10 cfu/g	CMMEF
Pseudomonas Aeruginosa	-	Not Detected	USPC 62
Salmonella	-	Not Detected	USPC 62
Staph-aureus	-	Not Detected	USPC 62
E. coli	-	Not Detected	USPC 62
Enterobacteriaceae	-	< 10 cfu/g	CMMEF

Heavy Metals Analysis	Not To Exceed	Detected	Method
Arsenic	10 mcg	<0.199 mcg	AOAC
Cadmium	4 mcg	<0.0995 mcg	AOAC
Lead	.5 mcg	<0.0995 mcg	AOAC
Mercury	2 mcg	<0.0995 mcg	AOAC



Tests perfomed in accordance with ISO/IEC 17025 Chemical Scope of Accreditation

ISO 17025
ACCREDITED LABORATORY