LAB RESULTS

Independent 3rd Party Analytical Testing and Validation

Product Name: Collagen Boost
Lot Number: 251204
Expiration Date: 12/2027
Serving Size: 2 scoops (19.9 g)
Tested At: Eurofins Laboratories
Report Date: 02/03/2026

TEST ITEM	SPECIFICATION	RESULT		METHOD
Appearance & Color	Off-white	Conforms	√ Passed	Visual
Aroma	None	Conforms	√ Passed	Organoleptic
Taste	Unflavored / Characteristic	Conforms	√ Passed	Organoleptic
ANALYTE				
Sodium (as sodium hyaluronate)	40 mg	37.33 mg	√ Passed	ICP & QBI
Protein	17 g	18.3 g	√ Passed	AOAC
Collagen Peptide Complex	17.5 g	19.1 g	√ Passed	Agilent
Hyaluronic Acid (as sodium hyaluronate)	80 mg	88.6 mg	√ Passed	Internal
CONTAMINANTS				
GMO	Negative	Negative	√ Passed	GeneScan
Gluten	< 5 ppm	< 3.0 ppm	√ Passed	ELISA
Soy	< 2.5 ppm	< 2.5 ppm	√ Passed	ELISA
MICROBIOLOGY				
Total Plate Count	< 1000 cfu/g	< 10 cfu/g	√ Passed	USP 61
Yeast/Mold	< 100 cfu/g	< 10 cfu/g	√ Passed	USP 61
Coliform	< 10 cfu/g	< 10 cfu/g	√ Passed	CMMEF
Pseudomonas	Negative/10g	Negative	√ Passed	USP 62
Salmonella	Negative/10g	Negative	√ Passed	USP 62
Staphylococcus	Negative/10g	Negative	√ Passed	USP 62
E. Coli	Negative/10g	Negative	√ Passed	USP 62
Enterobacteriaceae	< 100 cfu/g	< 10 cfu/g	√ Passed	CMMEF
HEAVY METALS				
Arsenic	< 10 mcg	< 0.199 mcg	√ Passed	ICP-AOAC
Cadmium	< 4 mcg	< 0.0995 mcg	√ Passed	ICP-AOAC
Lead	< 0.5 mcg	< 0.0995 mcg	√ Passed	ICP-AOAC
Mercury	< 2 mcg	< 0.0995 mcg	√ Passed	ICP-AOAC

Results are reported per serving, unless otherwise noted.