Lab Results

Independent 3rd Party Analytical Testing and Validation

Product: MagPure Glycinate

Lot #: 022626126

Report Date: 08/05/2026

Ingredient Analysis	Claim	Result	Method
Magnesium	50 mg	59.2 mg	ICP-AOAC

Microbial Testing		Result	Method
Total Plate Count	-	<10 cfu/g	USP2021
Yeast & Mold	-	10 cfu/g	USP2021
Coliform	-	<10 cfu/g	AOAC
Pseudomonas aeruginosa	-	Negative	USP 62
Salmonella	-	Negative	USP 2022
Staphylococcus aureus	-	Negative	USP 2022
E. coli	-	Negative	USP 2022
Enterobacteriaceae	-	<10 cfu/g	AOAC

Heavy Metals Analysis	Not To Exceed	Detected	Method
Arsenic	10 mcg	0.00512 mcg	ICP-AOAC
Cadmium	4 mcg	<0.00465 mcg	ICP-AOAC
Lead	.5 mcg	0.0112 mcg	ICP-AOAC
Mercury	2 mcg	<0.00465 mcg	ICP-AOAC



Tests perfomed in accordance with ISO/IEC 17025 Chemical Scope of Accreditation

ISO 17025
ACCREDITED LABORATORY