LAB RESULTS

Independent 3rd Party Analytical Testing and Validation

Product Name:	MagPure Malate
Lot Number:	081925129
Expiration Date:	01/2028
Serving Size:	1 capsule
Tested At:	DYAD Laboratories
Report Date:	02/25/2026

TEST ITEM	SPECIFICATION	RESULT		METHOD
Appearance & Color	White	Conforms	√ Passed	Visual
Aroma	None	Conforms	√ Passed	Organoleptic

ANALYTE				
Magnesium	100 mg	110 mg	√ Passed	ICP-AOAC

MICROBIOLOGY				
Total Plate Count	< 1000 cfu/g	20 cfu/g	√ Passed	USP 2021
Yeast/Mold	< 100 cfu/g	< 10 cfu/g	√ Passed	USP 2021
Coliform	< 10 cfu/g	< 10 cfu/g	√ Passed	AOAC
Pseudomonas	Negative/10g	Negative	√ Passed	USP 62
Salmonella	Negative/10g	Negative	√ Passed	USP 2022
Staphylococcus	Negative/10g	Negative	√ Passed	USP 2022
E. Coli	Negative/10g	Negative	√ Passed	USP 2022
Enterobacteriaceae	< 100 cfu/g	< 10 cfu/g	√ Passed	AOAC

HEAVY METALS				
Arsenic	< 10 mcg	< 0.00546 mcg	√ Passed	ICP-AOAC
Cadmium	< 4 mcg	< 0.00546 mcg	√ Passed	ICP-AOAC
Lead	< 0.5 mcg	0.00807 mcg	√ Passed	ICP-AOAC
Mercury	< 2 mcg	< 0.00546 mcg	√ Passed	ICP-AOAC

Results are reported per serving, unless otherwise noted.